IESCO°

.95%

Trifluralin 5G Herbicide

A selective pre-emergence herbicide for control of certain annual grasses and broadleaf weeds in:

• Container Grown Ornamentals • Non-Bearing Fruit and Nut Trees and

 Landscape Ornamentals · Nursery Stock

- Non-Bearing Vineyards Christmas Tree Plantations
- Groundcovers · Non-Cropland
- Under Paved Surfaces · Established Flowers
- · Ornamental Bulbs

Active Ingredient: trifluralin: a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine Other Ingredients .

Contains 2 lb active ingredient per 40 lb bag.

KEEP OUT OF REACH OF CHILDREN CAUTION

If you do not understand the label, find someone to explain it to you in detail.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irriation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Chemical resistant gloves, such as butyl rubber ≥ 11 mils; or natural rubber ≥ 14 mils; or nitrile rubber ≥ 14 mils

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Users should:

When handlers use closed systems, enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4-6), the handler PPE requirements may be reduced or modified as specific in the WPS.

User Safety Recommendations

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment

If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters or rinsate.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation

ACCEPTED

FOR REGISTRATION

Doc ID 544654

March 10, 2016

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

Agricultural Use Requirements:

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agri cultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation

Do not enter or allow worker entry into treated areas during the restricted entry interval

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- Coveralls
- Chemical-resistant gloves
- Shoes plus socks

Non-Agricultural Use Requirements:

he requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection tandard for Agricultural Pesticides (40 CFR Part 170). The WPS applies when this product is used to produce gricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required afte the application, do not enter or allow others to enter the treated area (except those persons involved in the incor poration) until the incorporation is complete. If the incorporation is accomplished by watering-in, do enter or allow thers to enter the treated area until the surface is dry after the watering-in.

Information

This product is a preemergence herbicide for control of certain annual grasses and

that are covered by the Worker Protection Standard.

broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, groundcovers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards, Christmas tree plantations, non-cropland, and under paved surfaces. Apply this product before or after planting, but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 lb per acre total of this product within a 12-month period.

Use Precautions and Restrictions

Do not apply when wind conditions favor drift of this product from the target area. Do not aerially apply this product.

This product does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate this product. Optimum weed control is obtained when this product is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, this product may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1 to 2 inches of soil. Failure to activate this product within 3 days of application may result in erratic weed control.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface appli-

Weeds Controlled

The following weeds are controlled when this product is applied at 80lb per acre (1.8lb per 1000sq.ft):

Common Name	Scientific Name
barley, hare	Hordeum leporinum
barnyardgrass (watergrass)	Echinochloa crus-galli
bluegrass, annual	Poa annua
brome	Bromus spp.
cheat	Bromus secalinus
crabgrass	Digitaria spp.
cupgrass, southwestern	Eriochloa gracillis
fescue, rattail	Vulpia myuros
foxtail	Setaria spp.
goosegrass	Eleusine indica
junglerice	Echinochloa colonum
lovegrass	Eragrostis spp.
oat, wild	Avena fatua
panicum, fall	Panicum dichotomiflorum
sandbur, field	Cenchrus incertus
signalgrass	Brachiaria spp.
sprangletop, Mexican	Leptochloa univervia
stinkgrass	Eragrostis cilianensis
witchgrass	Panicum capillare

Annual Broadleaf Weeds

Allinaal Broadloar Woodo		
chickweed, common	Stellaria media	\neg
goosefoot, nettleleaf	Chenopodium murale	\neg
knotweed, prostrate	Polygonum aviculare	ᄀ
kochia	Kochia scoparia	ᄀ
lambsquarters, common	Chenopodium album	コ
nettle, stinging	Urtica dioica	\neg
pigweed	Amaranthus spp.	\neg
purslane, common	Portulaca oleracea	\neg
thistle, Russian	Salsola iberica	ヿ

The following weeds are partially controlled or suppressed when this product is applied at 80lb per acre (1.8lb per

Common Name	Scientific Name
carpetweed	Mollugo verticillata
johnsongrass (from seed)	Sorghum halepense
panicum, Texas	Panicum texanum
pusley, Florida	Richardia scabra
shattercane	Sorghum bicolor

Application Directions

Apply this product using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first

Application Techniques

When using a drop-type spreader, a splash board mounted under the hopper will provide more even granule distri-

A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps

For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate

A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application

Container Grown Ornamentals, Landscape Ornamentals, Nursery Stock, Groundcovers, Established Flowers, Ornamental Bulbs, Non-Bearing Fruit and Nut Trees and Non-Bearing Vineyards, and Christmas Tree Plantations

This product may be used as a preemergence treatment for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, groundcovers, established flowers, ornamental bulbs, nonbearing fruit and nut trees and non-bearing vineyards and Christmas tree plantations. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the Information section of this label for use precautions and information on application, application rates and weeds

Special Use Precautions and Restrictions: To avoid possible injury, do not apply this product to:

- nursery forest or Christmas tree seedling beds, cutting beds, or transplant beds
- unrooted liners or cuttings that have been planted in pots for the first time
- · pots less than four inches wide
- groundcovers until they are established and well rooted

Do not apply this product to newly transplanted ornamentals, nursery stock, groundcovers, flowers and non-bearing fruit and nut crops and non-bearing vineyards until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of this product to areas where gladioli corms less than one inch in diameter will be planted or injury may occur.

Do not apply this product in greenhouse or other enclosed structures

Do not make repeat applications sooner than 60 days after a previous application of this product.

Do not apply over 240 lb per acre total of this product within a 12-month period.

Users who wish to use this product on plant species not recommended on this label may determine suitability for such uses by making trial application of this product at the listed rate to small number of plants. Prior to using this product on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from the use of this product on plant species not listed on this label.

This product may be used on the following established plant species when container grown or field

Scientific Name

Common Name

Common Name	Scientific Name	
Trees	•	
balsam fir	Abies balsamea	
white fir	Abies concolor	
albus-flowering maple	Abutilon hybridum	
luteus-flowering maple		
roseus-flowering maple		
tangerine-flowering maple		
vesuvius red-flowering maple		
flame maple	Acer gimmala	
Norway maple	Acer platanoides	
red maple	Acer rubrum	
red sunset maple		
silver maple	Acer saccharinum	
sugar maple	Acer saccharum	
queen palm	Areacastrum romanzoffianum	
river birch	Betula nigra	
paper birch	Betula papynifera	
European white birch	Betula pendula	
bottle tree	Brachychiton populneus	
black olive	Bucida buceras	
Chinese chestnut	Castanea mollissima	
carob	Ceratonia siliqua	
redbud	Cercis canadensis	
filicoides-fernspray cypress	Chamaecyparis obtuse	
gracilis-slender hinoki cypress		
swara false cypress	Chamaecyparis pisifera	
squarrosa-moss cypress		
palm	Chamaedorea cataractarum	
palm	Chamaedorea costaricana	
Parlor palm	Chamaedorea elegans	
cloud nine dogwood	Cornus florida	
flowering dogwood		
dogwood, kousa	Cornus kousa	
green hawthorn	Crataegus viridis	
carrot wood	Cupaniopsis anacardiodes	
Arizona cypress	Cupressus glabra	
Russian olive	Elaeagnus angustifolia	
redgum eucalyptus	Eucalyptus camaldulensis	
mealy eucalyptus	Eucalyptus cinera	
silver dollar eucalyptus		
coolibah tree	Eucalyptus microtheca	
red ironbark eucalyptus	Eucalyptus sideroxylon	
ficus	Ficus benjamina	
mini ficus	, , , , , , , , , , , , , , , , , , ,	
white ash	Fraxinus americana	
shamel ash	Fraxinus udhei	
ginko-maidenhair tree	Ginko biloba	
honey locust	Gleditsia triacanthos	
shademaster honey locust	3.03.10.13.10.100	
<u> </u>	Heteromeles arbutiflora	
toyon		

Net Weight: 40 lb (18.14 kg)

SGN 240

EPA REG. NO. 10404-118

EPA EST. NO. 961-PA-01 (L), 8378-IN-1 (K), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H), 89135-AZ-001 (A).

First letter of lot code indicates manufacturing site.

F1560

Manufactured for: LESCO, Inc. 1385 East 36th Street Cleveland, OH 44114-4114

702307-PG1 PP

Trifluralin 5G Herbicide [ESCO

This product may be used on the following established plant species when container grown or field

eastern red cedar Japanese larch American sweet gum tuliptree magnolia crabapple white mulberry banana blackgum sourwood Norway spruce pendula-weeping Norway spruce	Juniperus virginiana Larix kaempferi Liquidambar styraciflua Liriodendron tulipifera Magnolia spp. Malus spp. Morus spp.
American sweet gum tuliptree magnolia crabapple white mulberry banana blackgum sourwood Norway spruce	Liquidambar styraciflua Liriodendron tulipifera Magnolia spp. Malus spp. Morus spp.
tuliptree magnolia crabapple white mulberry banana blackgum sourwood Norway spruce	Liriodendron tulipifera Magnolia spp. Malus spp. Morus spp.
magnolia crabapple white mulberry banana blackgum sourwood Norway spruce	Magnolia spp. Malus spp. Morus spp.
crabapple white mulberry banana blackgum sourwood Norway spruce	Malus spp. Morus spp.
white mulberry banana blackgum sourwood Norway spruce	Morus spp.
banana blackgum sourwood Norway spruce	
blackgum sourwood Norway spruce	Musa aluminata
sourwood Norway spruce	Nyssa sylvatica
Norway spruce	Oxydendrum arboreum
	Picea abies
pendula-weeping Norway Spruce	
repens-spreading Norway spruce	
dwarf Alberta spruce	Picea glauca conica
white spruce	Picea glauca
dwarf globe blue spruce	Picea pungens
gjauca-Colorado blue spruce hoopsii-hoop's blue spruce	
koster-koster blue spruce	
bristlecone pine	Pinus aristata
canary island pine	Pinus canariensis
shore pine, beach pine	Pinus contorta
eldarica pine	Pinus eldarica
Bosnian pine	Pinus leucodermis
pumillo-shrubby Swiss mountain pine	Pinus mugo
Austrian black pine	Pinus nigra
monterey pine	Pinus radiata
red pine	Pinus resinosa Pinus taeda
loblolly white pine	Pinus taeda Pinus strobus
columnar Scotch pine	Pinus sylvestris
Scotch pine	T mad dyreddia
Japanese black pine	Pinus thunbergiana
London planetree	Platanus acerifolia
American sycamore	Platanus occicentalis
California sycamore	Platanus racemosa
podocarpus	Podocarppus spp.
cottonwood	Populous deltoides
Chilean mesquite yoshino flowering cherry	Prosopis chilensis Prunus yedoensis
douglas fir	Pseudotsuga menziesii
scarlet oak	Quercus coccinea
bear oak	Quercus ilicifolia
pin oak	Quercus palustris
willow oak	Quercus phellos
red oak	Quercus rubra
live oak	Quercus virginiana
black locust willow	Robinia pseudoacacia Salix spp.
giant sequoia	Sequoiadendron giganteum
mahogany	Swietenia mahogani
yellow tab	Tabebuia caraiba
bald cypress	Taxodium distichum
linden	Tilia spp.
eastern hemlock	Tsuga canadensis
Chinese elm	Ulmus parvifolia
Mexican fan palm	Washington robusta
Ornamental Shrubs edward goucher abelia	Abelia grandiflora
glossy abelia	Abolia granaliora
abyssinica acacia	Acacia abyssinica
prostrate acacia	Acacia redolens
shoestring acacia	Acacia stenophyllia
copper leaf	Acalypha wilkesiana
amur maple	Acer ginnala
coral bark Japanese maple	Acer palmatum
dwarf Japanese maple	Agayo amarigana
century plant false spiraea	Agave americana Astilbe chinensis
Japanese painted fern	Athyrium nipponimcum
coyotebrush	Baccharis pilularis
william penn barberry	Berberis gladwynensii
mentor barberry	Berberis mentorensis
atropurea-red leaf Japanese barberry	Berberis thunbergii
aurea-golden Japanese barberry	
crimson pygmy barberry	
rose glow barberry	
barbara karst	Bougainvillea spp.

California gold	
pink pixie	
scarlet o'hara	
temple fire	
Texas dawn	
Japanese boxwood	Buxus microphylla japonica
Korean boxwood	Buxus microphylla koreana
common boxwood	Buxus sempervirens
lemon bottlebrush	Callistemon citrinus
weeping bottlebrush	Callistemon viminalis
spring torch scotch heather	Calluna vulgaris
sasanqua camellia	Camellia sasanqua
Japanese camellia	Camellia japonica
feathery cassia	Cassia artemisioides
wild lilac	Ceanothus spp.
plum yew	Cephalotaxus drupacae
snow-in-summer	Cerastium tomentosum
kosteri cypress	Chamaecyparis obtusa spp.
nana-dwarf hinoki cypress	
torulosa cypress	
filifera-thread cypress	Chamaecyparis pisifera
areca palm	Chrysalidocarpus lutescens
summersweet	Clethra alnifolia
sibirica-siberian dogwood	Cornus alba
baileyi red osier dogwood	Cornus stolonifera
flaviramea-yellowtwig dogwood	L Continue on the continue of
royal purple smoke tree	Cotinus coggygria
coral beauty smloke tree	Cotinus dammeri
eichholz smoke tree	Cotonogator adamascus
praecox-early cotoneaster	Cotoneaster adpressus
cranberry cotoneaster	Cotoneaster apiculatus
Pyrenees cotoneaster	Cotoneaster congestus Cotoneaster dammeri
Bearberry cotoneaster Himalayan cotoneaster	Cotoneaster dammeri Cotoneaster Himalayan
rock cotoneaster	Cotoneaster Himalayan Cotoneaster horizontalis
zabel cotoneaster	Cotoneaster nonzontalis Cotoneaster zabelii
sago palm	Cycas revoluta
hollandia-warminster broom	Cytisus praecox
lena-Scotch broom	Cytisus scoparius
fragrant daphne	Daphne odora
deutzia	Deutzia spp.
hopseed bush	Dodonea viscosa
fruitland silver berry	Elaeagnus pungens
purple bell heather	Erica cinerea
mediterranean pink heather	Erica x darleyensa
cornish heather	Erica vagans
winged euonymus	Euonymus alatus
canadale gold euonymus	Euonymus fortunei
emerald n gold euonymus	
sunspot euonymus	
wintercreeper euonymus	
silver king euonymus	Euonymus japonica
variegated evergreen euonymus	
spreading euonymus	Euonymus kiautschovica
pineapple guava	Feijoa sellowiana
forsythia	Forsythia spp.
august beauty gardenia	Gardenia jasminoides
gardenia radican gardenia	
salal/lemon leaf	Gaultheria shallon
carolina jessamine	Gauitrieria srialion Gelsemium sempervirens
woadwaxen	Genista pilosa
ross estey-hibiscus	Hibiscus rosa-sinensis
rose of sharon-heart	Hibiscus syriacus
rose of sharon-red bird	
rose of sharon-woodbridge	
holly	llex spp.
mystery gardenia	Illicium annisatum
henry garnet holly leaf sweetspire	Itea ilicifolia
ixora	Ixora collinea
juniper	Juniperus spp.
mountain laurel	Kalmia latifolia
crepe myrtle	Lagerstroemia indica
lantana	Lantana spp.
coast leucothoe	Leucothoe axillaris
drooping leucothoe	Leucothoe fontainesiana
privet	Ligustrum spp.
Chinese fountain palm	Livistona chinensis
flowering woodbine	Lonicera periclymenum
serotina woodbine trumpet honeysuckle	Lanicara sampanirana
leather leaf mahonia	Lonicera sempervirens Mahonia bealei
creeping mahonia	Mahonia repens
wax myrtle	Myrica cerifera
compacta-dwarf heavenly bamboo	Nandina domestica
harbour dwarf-heavenly bamboo	. varianta domostica
	+
heavenly bamboo	
heavenly bamboo nana-compacta-heavenly bamboo	
heavenly bamboo nana-compacta-heavenly bamboo nana-purpurea-heavenly bamboo	
heavenly bamboo nana-compacta-heavenly bamboo nana-purpurea-heavenly bamboo woods dwarf heavenly bamboo	Nerium oleander
heavenly bamboo nana-compacta-heavenly bamboo nana-purpurea-heavenly bamboo woods dwarf heavenly bamboo hardy red oleander oleander	Nerium oleander
heavenly bamboo nana-compacta-heavenly bamboo nana-purpurea-heavenly bamboo woods dwarf heavenly bamboo hardy red oleander	Nerium oleander
heavenly bamboo nana-compacta-heavenly bamboo nana-purpurea-heavenly bamboo woods dwarf heavenly bamboo hardy red oleander oleander	Nerium oleander Osmanthus fortunei Philadelphus spp.

pigmy date palm	Phoenix roeloelenii
fraser's photinia	Photinia fraseri
Japanese andromeda	Pieris japnonica
mountain fire lily-of-the-valley	
snowdrift lily-of-the-valley	
templebells lily-of-the-valley	
valley rose lily-of-the-valley	
valley valentine lily-of-the-valley	
forest flame lily-of-the-valley	Pieris japonica x forestii
mugo-mugo pine green pittosporum	Pinus mugo
Japanese pittosporum	Pittosporum tobira
wheeler's dwarf pittosporum	
blue cape plumbago	Plumbago ariculata
plumbago	Plumbago capensis
yewpine	Podocarpus macrophyllus
tassel fern	Polystichum polyblepharum
cinquefoil	Potentilla spp.
carolina laurel cherry	Prunus caroliniana
dwarf pink flowering almond	Prunus gladulosa
pyracantha	Pyracantha spp.
charisma-monruce rhaphiolepsis	Rhaphiolepsis indica
enchantress-moness rhaphiolepsis	Тартогерзів тагеа
India hawthorn	+
springtime-monme rhaphiolepsis	+
roundleaf rhaphiolepsis	Rhaphiolepsis ovata
azalea/rhododendron	Rhododendron spp.
Africa sumac	Rhus lancea
ramanas rose	Rosa rugosa
rosemary	Rosmarinus officinalis
Japanese skimmia	Skimmia japonica
reeve's skimmia	Skimmia revesiana
Anthony waterer spiraea	Spiraea bumalda
dolchia spiraea	Spiraea japonica
Japanese alpine spiraea	P. C. C. G. P. C. C.
shirobana spiraea	
bridal wreath	Spiraea vanhouttii
Chinese lilac	Syringa rothomagensis
common lilac	Syringa vulgaris
upright Japanese yew	Taxus cuspidata
anglojap yew	Taxus media
cape honeysuckle	Tecomaria capensis
-	Ternstroemia gymnanthera
American arborvitae	Thuja occidentalis
emerald arborvitae	
globosa-globe arborvitae	
little giant-dwarf arborvitae	
nigra-dark American arborvitae	
pyramidalis-pyramid arborvitae	
rheingold arborvitae	
techny arborvitae	
aureus nana-dwarf golden arborvitae	Thuja orientalis
minima glauca-dwarf arborvitae	
Christmas palm	Veitchia merrilli
viburnum	Viburnum spp.
weigela	Weigela spp
xylosma	Xylosma congestum
yucca	Yucca filamentosa
Groundcovers	
wooly yarrow	Achillea tomentosa
lily-of-the-nile	Agapanthus spp.
carpet bugle	Ajuga spp.
beechgrass	Ammophila breviligulata
cape weed	Arctotheca calendula
cape weed thrift	Armeria maritima
cape weed thrift asparagus fern	Armeria maritima Asparagus densiflorus
cape weed thrift asparagus fern bellflower	Armeria maritima Asparagus densiflorus Campanula spp.
cape weed thrift asparagus fern bellflower cariegated carex	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp.
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis
cape weed thrift asparagus fern beliflower cariegated carex largeleaf iceplant dwarf plumbago	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp.
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp.
cape weed thrift assparagus fern beliflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana
cape weed thrift asparagus fern beliflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp.
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa
cape weed thrift asparagus fern beliflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum hispidum
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant dtrailing rosea iceplant blue fescue	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum floribundum Festuca ovina glauca
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant iceplant blue fescue strawberry, beach	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coroopsis spp. Coronilla vana Cortaderia selloana Cotaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum hispidum Festuca ovina glauca Fragania chiloensis
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant iceplant blue fescue strawberry, beach gazania	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum hispidum Festuca ovina glauca Fragania chiloensis Gazania spp.
cape weed thrift asparagus fern beliflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant iceplant blue fescue strawberry, beach gazania golden hakonechloa	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum hispidum Festuca ovina glauca Fragania chiloensis Gazania spp. Hakonechloa macroaureola
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant iceplant blue fescue strawberry, beach gazania golden hakonechloa Algerian ivy	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cottaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum hispidum Festuca ovina glauca Fragania chiloensis Gazania spp. Hakonechloa macroaureola Hedera canariensis
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant diceplant diceplant diceplant diceplant diceplant diceplant blue fescue strawberry, beach gazania golden hakonechloa Algerian ivy English ivy	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coroopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum floribundum Festuca ovina glauca Fragania chiloensis Gazania spp. Hakonechloa macroaureola Hedera canariensis Hedera helix
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis corown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant iceplant blue fescue strawberry, beach gazania golden hakonechloa Algerian ivy English ivy daylily	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum floribundum Festuca ovina glauca Fragania chiloensis Gazania spp. Hakonechloa macroaureola Hedera canariensis Hedera helix Hemerocallis spp.
cape weed thrift asparagus fern bellflower cariegated carex largeleaf iceplant dwarf plumbago rockrose coreopsis crown vetch pampas grass cotoneaster white iceplant descampsia trailing rosea iceplant liceplant blue fescue strawberry, beach gazania golden hakonechloa Algerian ivy English ivy	Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coroopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosanthemum floribundum Festuca ovina glauca Fragania chiloensis Gazania spp. Hakonechloa macroaureola Hedera canariensis Hedera helix

Hypericum spp.

St. Johnswort		
angelwing jasmine	Jasminum nitidum	
trailing iceplant	Lampranthus spectabilis	
white lily turf	Liriope gigantea	
big blue ivy	Liriope muscari	
lilac beauty lily turf	1,000	
majestic lily turf		
silvery sunproof lily turf		
variegated liriope turf		
green/creeping lily turf	Liriope spicata	
eulalia grass	Miscanthus sinensis	
creeping wirevine	Muehlenbeckia axillaris	
myoporum	Myoporum laetum	
dwarf mondo grass	Ophiopogon japonicus	
mondo grass	l	
trailing African daisy	Osteospermum fruiticosum	
Japanese spurge	Pachysandra terminalis	
fountain grass	Pennisetum alopecuroides	
ribbon grass	Phalaris arundinacea picta	
stonecrop (sedum)	Sedium spp.	
germander	Teucrium chamaedrys	
Asian jasmine	Trachelospermum asiaticum	
verbena	Verbena spp.	
speewell	Veronica spp.	
periwinkle	Veroriica spp.	
Established Flowers	νιιισα δρφ.	
yarrow	Achillea spp.	
floss flower	Ageratum houstonianum	
alyssum	Alyssum spp.	
snapdragon	Antirrhinum majus	
African daisy	Arctotis spp.	
silver mound	Artemisia schmidtiana	
dusty miller	Artemisia stellerana	
aster (perennial)	Aster spp.	
begonia	Begonia spp.	
calendula	Calendula officianalis	
cornflower	Centaurea cyanus	
velvet centaurea	Centaurea gymnocarpa	
sweet sultan	Centaurea moschata	
chrysanthemum	Chrysanthemum spp.	
morningglory	Convolvulus spp.	
coreopsis	Coreopsis spp.	
cosmos	Cosmos spp.	
dahlia	Dahlia spp.	
dianthus	Dianthus spp.	
bleeding heart	Dicentra eximia	
Foxglove	Digitalis mertonensis	
common foxglove	Digitalis purpurea	
marigold, cape	Dimorphotheca spp.	
purple coneflower	Echinacea purpurea	
California poppy	Eschschoizia californica	
snow-on-the-mountain		
	Euphorbia marginata	
geranium	Geranium spp.	
geum	Geum spp.	
gaillardia	Gaillardia spp.	
gladiolus	Gladiolus spp.	
guara	Guara lindheiveri	
baby's breath	Gypsophila paniculata	
sunflower	Helianthus spp.	
coral bells	Heuchera spp.	
coral bells aaron's beard	Heuchera spp. Hypericum calycinum	
coral bells aaron's beard balsam	Heuchera spp. Hypericum calycinum Impatiens balsamina	
coral bells aaron's beard balsam impatiens	Heuchera spp. Hypericum calycinum Impatiens balsamina Impatiens spp.	
coral bells aaron's beard balsam	Heuchera spp. Hypericum calycinum Impatiens balsamina	
coral bells aaron's beard balsam impatiens	Heuchera spp. Hypericum calycinum Impatiens balsamina Impatiens spp.	

Net Weight: 40 lb (18.14 kg)

SGN 240

EPA REG. NO. 10404-118 EPA EST. NO. 961-PA-01 (L), 8378-IN-1 (K), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H), 89135-AZ-001 (A).

First letter of lot code indicates manufacturing site.

Manufactured for: LESCO, Inc. 1385 East 36th Street Cleveland, OH 44114-4114

702307-PG2

[ESCO

Trifluralin 5G Herbicide

This product may be used on the following established plant species when container grown or field grown:

Common Name	Scientific Name	
Established Flowers (continued)	Colentino Name	
sweet pea	Lathyrus spp.	
English lavender	Lavandula angustifolia	
shasta daisy	Leucanthemum superbum	
gayfeather	Liatris spicata	
statice	Limonium spp.	
lobelia	Lobella spp.	
sweet alyssum	Lobularia maritima	
lupine	Lupines spp.	
stock	Matthiola spp.	
four o' clock	Mirabilis jalapa	
bee balm	Monarda didyma	
forget-me-not	Myosotis spp.	
nicotiana	Nicotiana spp.	
ozark sundrop	Oenothera missouriensis	
poppy, California	Papaver spp.	
petunia	Petunia hybrida	
beard tongue	Penstemon barbatus	
Russian sage	Perovskia atriplicifolia	
phlox	Phlox spp.	
portulaca	Portulaca grandiflora	
rose	Rosa spp.	
blackeyed susan	Rudbeckia hirta	
golden glow	Rudbeckia laciniata	
salvia	Salvia spp.	
pincushion flower	Scabiosa spp.	
stonecrop	Sedum spectible	
lamb's ears	Stachy's spp.	
stoke's aster	Stokesia laevis	
marigold	Tagetes spp.	
painted daisy	Tanacetum cocineum	
nasturtium	Tropaeolum spp.	
speedwell	Veronica spicatum	
vinca	Vinca spp.	
zinnia	Zinnea spp	

Ornamental Bulbs

This product may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply this product to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. This product may also be applied following bulb emergence. For fall planted bulbs, apply this product again in late winter or early spring to weed-free soil surfaces.

Non-Bearing Fruit and Nut Trees and Non-Bearing Vineyards

Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants that will not bear fruit for at least one year after treatment.

almond	fig	orange
apple	filbert	peach
apricot	gooseberry	pear
avocado	grape, American	pecan
blackberry	grape, European	pistachio
blueberry	grapefruit	plum
boysenberry	kiwi	pomegranate
cherry, sour	lemon	prune
cherry, sweet	loganberry	raspberry
currant	macadamia nut	walnut, black
dewberry	nectarine	walnut, English
elderberry	olive	

Christmas Tree Plantations

Apply this product to established plantings of field grown Christmas tree species listed on this label. Do not apply to seedbeds or seedling transplant beds. Apply only to established plantings. Established plants are defined as those that have been transplanted into their final growing location for a sufficient period of time to allow the soil to be firmly settled around the roots from packing and rainfall or irrigation. Follow all instructions provided in the Information section of this label.

Non-Cropland Areas

This product may be used as a preemergence herbicide for control of certain annual grasses and broadleaf weeds on industrial sites, utility substations, highway guard rails, sign posts and delineators.

Apply this product anytime prior to germination of target weeds. Areas to be treated should be free of established weeds or existing weeds should be controlled with postemergence herbicides.

Refer to the Information section prior to using this product on non-cropland.

Under Paved Surfaces

Site Preparation

This product should be used only where the soil to be treated has been prepared according to good construction practices. If rhizomes, stolons, tubers or other vegetative plant parts are present in the site, they should be removed by scalping with grader blade to a depth sufficient to ensure their complete removal.

Application

Application may be made after the final road bed is established or after the base rock has been added. Do not move soil after application of this product and do not apply this product to soil where asphalt may be applied directly on top of the treated soil.

Paving should follow applications of this product as soon as possible.

Apply this product to ensure thorough coverage of the base rock layer. Apply with any granular applicator that will apply uniformly.

Apply the following amount of this product:

Amount of LESCO Treflan 5G Herbicide		
Per Acre (lb)	Per 1000 sq. ft. (lb)	
240-320	5.5-7.3	

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose as waste

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approve waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration or by other procedures allowed by state and local authorities.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. IN NO EVENT SHALL LESCO, Inc., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

LESCO is registered trademark and the sweeping design is a trademark of LESCO Technologies, LLC. All other trademarks are the property of their respective owners.

N:\Regulatory\WP\Regul Private\MstrLbl_ERIEVIEW ADDRESS\Landscape Style Master Lbls (020510) Rev 2/24/16 VT

Net Weight: 40 lb (18.14 kg)

SGN 240

EPA REG. NO. 10404-118 EPA EST. NO. 961-PA-01 (L), 8378-IN-1 (K), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H), 89135-AZ-001 (A).

First letter of lot code indicates manufacturing site.

F1560

Manufactured for: **LESCO**, **Inc.** 1385 East 36th Street Cleveland, OH 44114-4114

702307-PG3

PP